y

	Application No.	Applicant(s)
•	40/604 999	DAZAV# ET AL
Notice of Allowability	10/691,809 Examiner	RAZAVI ET AL.
	-	
	Robert D. Harlan	1713
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to II 8 6 6 6 6		
- •		
2. ☑ The allowed claim(s) is/are <u>1-36</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	- -	
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	(PTO-413), ie .
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0-Paper No./Mail Date	8), 7. Examiner's Amenda	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🗷 Examiner's Stateme	ent of Reasons for Allowance
o. D.olog.ou. Matorial	9. Other	

Application/Control Number: 10/691,809 Page 2

Art Unit: 1713

DETAILED ACTION

1. The Appeal Brief filed by Applicant on 11/08/05 has been entered.

Response to Amendment/Arguments

- 2. Applicant's amendment and arguments filed on 11/08/05 have been fully considered and they are found persuasive.
- 3. The rejection of claims 1-36 under 35 U.S.C. 103(a) as being unpatentable over Watanabe et al., EP 1 125 928 A1 (hereinafter "Watanabe") is withdrawn.

Allowable Subject Matter/Reasons for Allowance

- 4. Claims 1-36 are allowed.
- 5. The following is an examiner's statement of reasons for allowance: The closest prior art located or identified by the Examiner is Watanabe. Watanabe teaches a transition metal compound and catalyst for the production of polyolefins. See Watanabe, Abstract; pages 3-6. Furthermore, Watanabe expressly states R⁶⁻¹⁵ of formula I may be bonded to each other to form a ring. See Watanabe, page 4, lines 23-24. The Examiner has

Application/Control Number: 10/691,809

Art Unit: 1713

decided to withdraw the obviousness rejection for the following reasons"

Page 3

- a. The symmetry requirement of the present invention would require not only ring connectivity, but also identical location on the two rings resulting in the required symmetry;
- b. The connectivity may be saturated, unsaturated or hetero result in an enormous number of choices;
- c. The rings formed may not be adjacent;
- d. Taken in consideration the number of choices, based on the type of rings and location of rings one of ordinary skill would have to unfairly "pick and choose."
- 6. As of the date of this Notice of Allowability, the Examiner has not located or identified any reference that can be used singularly or in combination with another reference including Watanabe to render the present invention anticipated or obvious to one of ordinary skill in the art.
- 7. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 10/691,809 Page 4

Art Unit: 1713

fee. Such submissions should be clearly labeled "Comments on ...
Statement of Reasons for Allowance."

Conclusion

- 8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert D. Harlan whose telephone number is (571) 272-1102. The examiner can normally be reached on Mon-Fri, 10 AM 8 PM.
- 9. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David W. Wu can be reached on (571) 273-1114. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/691,809 Page 5

Art Unit: 1713

10. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Robert D. Harlan Primary Examiner Art Unit 1713

rdh